



# FREESTANDING INSTANT MARQUEES



# shedline.co.nz







PREMIUM INSTANT MARQUEES



# **Premium Instant Marquees...**

Using world leading concepts and designs, **INFEDLINE** unparalleled range of Instant Marquee Systems are suited to fulfill your every requirement for portable Shade and/or Shelter almost anytime, anywhere.

Beneath the protection of a **ISHEDLINE** Instant Marquee,

- Events can be managed
- Goods can be displayed and traded
- Families/friends can gather and relax

A simple and practical system providing an attractive and professional atmosphere for every occasion.

#### Where we sell...

Not only throughout New Zealand will you find **ESHEDLINE** Instant Marquees in action but also throughout Australia and the wider South Pacific region.

#### Product quality...

**Instant Marquees are produced according to the strictest criteria for quality.** We are never satisfied and are constantly setting new standards by continually refining our products. With **ESHEDLINE**, you are guaranteed advanced, innovative designs and a consistent, high level of quality.

#### Freight...

Delivery within New Zealand is Freight Free. Freight charges to destinations outside of New Zealand are calculated at the time of ordering.

#### Warranty policy...

All **INSTACLINE** Instant Marquees carry extensive warranties on all materials and workmanship UP TO 8 YEARS ... refer page 18 for further information.

# **Contents**

4-7	<i>Titan</i> Instant Marquee
8-11	<b>Promercial</b> Instant Marqu
12-15	<b>Deluxe</b> Instant Marquee
16	Sidewalls
17	Accessories
18	Fabrics / Product Warran
19	Colours
20-21	Customised Graphics
22	Frame Construction
23	Dimensions / Weights

uee

nties



### Titan

### **Convenience Plus!**

- Ingeniously simple folding system
- Set up in less than 60 seconds
- No tools required for set up
- Superb adaptability for both indoor and outdoor events of all types
- Extremely compact for transport and storage
- Available in a range of sizes

• Can be positioned adjacent to another Titan when larger areas of shelter are required

- Has the addition of various functional accessories
- Offers the option of customised graphics

#### **USEFUL FEATURES:**

- Simple, easy setup in an extremely short time
- Very compact to store
- Can be stored standing
- Easy to transport (fits in most cars)
- Unlimited indoor & outdoor uses
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense
- 'One piece' frame
- No interfering centre poles



#### **COMMON USES:**

- Sporting Events
- Animal & Pet Shows
- Camping & Beach Shade
- Market Stalls, Fairs & Gala Days
- Building Sites & Contractors
- BBQ, Parties and Outdoor Dining
- Motorsports
- Emergency Services
- Maraes

#### FRAME TYPE:



Titan: Commercial Grade Aluminium Frame

#### **SHELTER SIZES:**

- 2.4m x 2.4m
- 3.0m x 3.0m
- 3.0m x 4.5m
- 3.0m x 6.0m



\*refer pages 22-23 for more information

YEAR

FRAME WARRANTY Refer page 18 for further information



### Titan



### Titan

### **Proven Design Features**

Exclusive designs and patented features, engineered to promote smooth, easy operation plus lasting strength and durability - it's the details that make the difference.



Robust aluminium brackets with rounded ABS plastic caps to provide extra protection to the roof from general wear and tear



Patented pull-pin locking system ensures easy, finger safe set-up and collapsing



Central Pivot design ensures a lifetime of durability



Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment



Robust zincalume coated steel Foot Plate delivers greater grounding ability for superior stability and safety. Holes provided for ground pegs



Truss bar Extruded with internal ribs for added strength



Refer page 18 for further information





### Titan

**Premium Quality Roof Material** (Refer page 18 for more information)

All seam points are double stitched for added strength and durability

Double layer of material at peak for extra wear resistance

50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds

Sturdy D-Rings offer additional

tie-down security

Double layer of material at corners to minimize wear and tear

Additional buckled straps are positioned on the roof midway between each leg to help secure the roof to the frame and keep it suitably tensioned

> Advanced seam sealer strip applied to underside of all seams to ensure waterproofness





1-1











### Promercial

### **Performance Plus!**

- #1 selling Shedline range
- Have added strengthening characteristics to achieve an extremely tough design
- Relatively lightweight but sturdy
- Available in three popular sizes (refer list below)
- Boasts a top quality, commercial grade, aluminium frame construction
- An ideal shelter solution for almost any commercial or personal requirement.
- Has the added option of customised graphics and other functional accessories (refer pages 16-17)
- Widely proven as a potent and extremely successful marketing tool

#### **USEFUL FEATURES:**


- Simple, easy setup in an extremely short time
- · Compact to store (can be stored standing)
- No expert knowledge required
- Easy to transport (fits in most cars)
- Unlimited indoor & outdoor uses
- 'One piece' frame
- No interfering centre poles
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense




Refer page 18 for further information

#### **COMMON USES:**

- Trade Exhibitions and Fieldays
- Schools, Kindergarten & Community Groups
- Hiring & Catering
- Corporate Functions
- Weddings
- Sporting Events & Clubs
- Motorsports
- Building Sites & Contractors



# FRAME TYPE:



**Promercial:** Premium Commercial Grade Aluminium Frame

#### **SHELTER SIZES:**

- 3.0m x 3.0m
- 3.0m x 4.5m
- 3.0m x 6.0m



\*refer pages 22 - 23 for more information



### **Promercial**





### **Promercial**

### **Proven Design Features**

An Instant Marquee designed and constructed with premium grade materials, ideally suited to withstand the demanding New Zealand conditions.



Moulded brackets from top quality ABS plastic formed with rounded edges to provide extra protection to the roof from general wear and tear



Patented quick release push-button system ensures finger safe setup and collapsing with ease



Central Pivot design ensures a lifetime of durability



Sturdy peak pole design compatible with the quality of the rest of the frame



Individual leg height adjustment with different settings, allows deployment on sloping or uneven ground



Heavy duty aluminium footplate at the base of each leg prevents the marquee from sinking into non-solid ground. Holes provided for ground pegs



Truss bars extruded with internal ribs for added strength



Truss bars capped each end to prevent moisture and dust entering



Refer page 18 for further information



## **Promercial**

**Premium Quality Roof Material** (Refer page 18 for more information)

All seam points are double stitched for added strength and durability

Double layer of material at peak for extra wear resistance

Sturdy D-Rings offer additional tie-down security

to minimize wear and tear

Double layer of material at corners

Additional velcro strips are positioned on the roof midway between each leg to help secure the roof to the frame and keep it suitably tensioned

50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds

Advanced seam sealer strip applied to underside of all seams to ensure waterproofness

















### Deluxe

### **Superiority Plus!**

- Ingeniously simple Shedline concertina folding frame system
- Offers the benefits of the other Shedline ranges with added strength and larger sizes
- Constructed using extra heavy duty materials
- Extremely robust for all ranges of shelter application
- Widely used in industrial and commercial situations because of it's outstanding strength and durability

· Uses top quality aluminium for all primary frame construction including legs, truss bars and connecting joints

• The weight of the frame is kept to a minimum without compromising its strength in any way

• A durable 500 denier polyester roof makes the Deluxe Instant Marquee is in a distinct class of its own

• The Deluxe offers unparalleled shelter instantly in almost any situation

#### **USEFUL FEATURES:**

- · Simple, easy setup in an extremely short time
- Compact to store (can be stored standing)
- No expert knowledge required
- Easy to transport
- Unlimited indoor & outdoor uses
- 'One piece' frame
- No interfering centre poles
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense

#### **COMMON USES:**

- Hiring & Catering
- Trade Exhibitions & Field Days
- Building Sites & Contractors
- Weddings Emergency Services
  Welding tent

Maraes

• Cafés & Restaurants

Email: info@shedline.co.nz

• BBQ, Parties and


Outdoor Dining

- Motorsports
- Corporate Functions
- Sporting Events



Refer page 18 for further information

#### FRAME TYPE:



#### Deluxe: Heavy duty Industrial grade aluminium frame

#### SHELTER SIZES:

- 3.0m x 3.0m - 3.0m x 4.5m
- 3.0m x 6.0m
- 4.0m x 4.0m
- 4.0m x 8.0m
- 6.0m diam. Hexagonal
- \*refer pages 22-23 for more information



shedline.co.nz



## Deluxe







### Deluxe

### **Proven Design Features**

An Instant Marquee designed and constructed with premium grade materials, ideally suited to withstand the demanding New Zealand conditions.



Moulded aluminium brackets compatible with the strength and quality of the rest of the frame. Topped with rubber cap for added wear protection to the roof



Patented quick release push-button system ensures finger safe setup and collapsing with ease



Central Pivot design ensures a lifetime of durability



Individual leg height adjustment with different settings allows for deployment on sloping or uneven ground



Heavy duty aluminium footplate at the base of each leg prevents the marquee from sinking into non-solid ground. Holes enable direct securing to the ground by means of ground pegs



Sturdy Peak Pole design compatible with the quality of the rest of the frame



Truss bars capped each end to help prevent moisture and dust entering



Truss bars have internal ribs for added strength



Refer page 18 for further information





### Deluxe



Premium Quality Roof Material (Refer page 18 for more information)

All seam points are double stitched for added strength and durability

Double layer of material at peak for extra wear resistance. Rubber cap adds extra protection to the roof

> Sturdy D-Rings offer additional tie-down security

Double layer of material at corners to minimize wear and tear

Additional velcro strips are positioned on the roof midway between each leg to help secure the roof to the frame and keep it suitably tensioned

50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds

Advanced seam sealer strip applied to underside of all seams to ensure waterproofness









15









## Flexible Sidewall Options

### All Side walls are available in a wide range of both sizes and colours

#### Side Wall (Standard)

Offering extra protection from sun, wind, rain and privacy.



#### Side Wall (with Window)

Offers the same advantages as the standard side wall PLUS allows greater visibility and extra light.



#### Side Wall (with Zip Door)

Allows flexible access in/out through side wall, and greater privacy and shelter.



#### Frame Carry Bag

Strong carry bag with handles and full length zipper to contain frame. Bag end zips off also. Makes for easy transportation and storage.



#### PVC Sand Bag (supplied full) Helps to anchor marquee on all surface areas including concrete where ground pegs cannot be used. Strap handle for ease of carrying and for guy roping marquee to. Supplied full.

Leg Wrap Sand Bag (supplied empty) Useful for anchoring the marquee in conditions where space is limited especially in public areas where guy ropes may present a hazard. Supplied empty.

#### Steel Footplate Anchoring Weight


Fits over footpad at base of marquee leg. Also has screw eye anchoring point for guy roping marquee to. Weighs 15kg.

#### **Rain Gutter**

Allows for the drainage of rainwater to outside the covered area when two or more Instant Marquees are used adjacent to each other.



### Accessories



17



#### SUPERIOR QUALITY

### **Fabrics**

### **500D** Polyester

All standard Shedline Instant Marguee Roofs and Sidewalls are manufactured from Close-mesh 500 denier Polyester fabric.

The exceptional all-round qualities of this premium, low maintenance fabric include:

- Fire retardancy .
- Water proof
- Excellent printing characteristics (Screen-printing and digital-colour)
- 100% U/V Protection\* (Rated UPF 50+)

\*Actual test results 99.84 – 99.97% U/V Blockout

Note: Commercial grade PVC is also available for Promercial and Deluxe Instant Marquees only. This is available in a range of colours.

## **Product Warranties**

### Warranties

Shedline Instant Marquees are reputed for their robust construction and their consistent, ongoing reliability. All models carry warranties against material flaws in both the frame structure and the roof and sidewall fabrics (conditions apply).

	TITAN	PROMERCIAL	DELUXE
FRAME WARRANTY	3 years	6 years	8 years

### Take your pick...

All Polyester Roofs and Sidewalls are available in sixteen different colours. Many of these colours are available ex-stock. Any other non-stock colours are available on request (subject to availability).

	White	Beige PMS 1205c	Yellow PMS 123c	Oran PMS 16
ROOFS				
2.4m x 2.4m	$\checkmark$	•	•	•
3.0m x 3.0m	$\checkmark$	•	$\checkmark$	•
3.0m x 4.5m	$\checkmark$	•	$\checkmark$	•
3.0m x 6.0m	$\checkmark$	•	$\checkmark$	•
4.0m x 4.0m	$\checkmark$	•	•	•
4.0 x 8.0m	$\checkmark$	•	•	•
6.0m Hex	$\checkmark$	•	•	•
SIDEWALLS				
2.4m	$\checkmark$	•	•	•
3.0m	$\checkmark$	٠	$\checkmark$	•
4.0m	$\checkmark$	•	•	•
4.5m	$\checkmark$	٠	$\checkmark$	•
6.0m	$\checkmark$	•	$\checkmark$	•
8.0m	•	•	•	•

	Black	Dark Green PMS 3308c	Navy PMS 2767c	Charc PMS 4
ROOFS				
2.4m x 2.4m	$\checkmark$	$\checkmark$	•	•
3.0m x 3.0m	$\checkmark$	$\checkmark$	$\checkmark$	•
3.0m x 4.5m	$\checkmark$	$\checkmark$	$\checkmark$	•
3.0m x 6.0m	$\checkmark$	$\checkmark$	$\checkmark$	•
4.0m x 4.0m	•	•	•	•
4.0 x 8.0m	•	٠	•	•
6.0m Hex	•	•	•	•
SIDEWALLS				
2.4m	$\checkmark$	$\checkmark$	•	•
3.0m	$\checkmark$	$\checkmark$	$\checkmark$	•
4.0m	•	•	•	•
4.5m	$\checkmark$	$\checkmark$	$\checkmark$	•
6.0m	$\checkmark$	$\checkmark$	$\checkmark$	•
8.0m	•	•	٠	•

Key: 🗸 Stock Colour



### Colours





### **Customised Graphics**

### Promote your company, brand, product...

Roofs and sidewalls can be easily printed to transform your marquee into an effective marketing tool whenever and wherever it is deployed. A custom branded marquee will...

- Promote your business with individuality
- Ensure you stand out from the crowd.
- Attract attention

#### **Custom Branding Examples**



**Short Production Lead Times** Guaranteed!!





"We were concerned about the need for a **strong** marquee to use at the national field days. Having purchased the Promercial we were amazed at its **quality** standing up to the windy storm experienced on the first day, it performed perfectly." **Promax Plastics** 



















## **Customised Graphics**




"We have had a Shedline marquee for over 5 years and have found it to be a fantastic promotion and marketing tool. I would recommend a Shedline marquee as they are simple and easy to erect, are well constructed and are locally made so can be designed and personalised with your company logos etc. The support from the team in Whangarei is superb." Ricoh Ltd



## **Frame Construction**

#### Frame Extrusion shown in actual size:



	TITAN	PROMERCIAL	DELUXE
2.4m x 2.4m	Collapsed Frame Size 1570 x 220 x 220 Max. Height Ground to Peak: 3250mm Head Clearance: 2050mm Weight Frame: 18 kg Roof: 4 kg	N/A	N/A
3.0m x 3.0m	Collapsed Frame Size 1570 x 220 x 220 Max. Height Ground to Peak: 3350mm Head Clearance: 2050mm Weight Frame: 19 kg Roof: 5 kg	Collapsed Frame Size 1520 x 300 x 300 Max. Height Ground to Peak: 3250mm Head Clearance: 2050mm Weight Frame: 25 kg Roof: 5 kg	Collapsed Frame Size 1520 x 320 x 320 Max. Height Ground to Peak: 3250mm Head Clearance: 2050mm Weight Frame: 35 kg Roof: 5 kg
3.0m x 4.5m	Collapsed Frame Size 1570 x 300 x 220 Max. Height Ground to Peak: 3350mm Head Clearance: 2050mm Weight Frame: 25 kg Roof: 7 kg	Collapsed Frame Size 1520 x 420 x 300 Max. Height Ground to Peak: 3250mm Head Clearance: 2050mm Weight Frame: 31 kg Roof: 7 kg	Collapsed Frame Size 1520 x 440 x 320 Max. Height Ground to Peak: 3250mm Head Clearance: 2050mm Weight Frame: 43 kg Roof: 7 kg
3.0m x 6.0m	Collapsed Frame Size 1570 x 400 x 220 Max. Height Ground to Peak: 3350mm Head Clearance: 2050mm Weight Frame: 33 kg Roof: 8 kg	Collapsed Frame Size 1520 x 540 x 300 Max. Height Ground to Peak: 3250mm Head Clearance: 2050mm Weight Frame: 40 kg Roof: 8 kg	Collapsed Frame Size 1520 x 580 x 320 Max. Height Ground to Peak: 3250mm Head Clearance: 2050mm Weight Frame: 55 kg Roof: 8 kg
4.0m x 4.0m	N/A	N/A	Collapsed Frame Size 2030 x 320 x 320 Max. Height Ground to Peak: 3950mm Head Clearance: 2250mm Weight Frame: 42 kg Roof: 8 kg
4.0m x 8.0m	N/A	N/A	Collapsed Frame Size 2030 x 580 x 320 Max. Height Ground to Peak: 3950mm Head Clearance: 2250mm Weight Frame: 73 kg Roof: 14 kg
6.0m Hexagon	N/A	N/A	Collapsed Frame Size 1530 x 420 x 420 Max. Height Ground to Peak: 4010mm Head Clearance: 2060mm Weight Frame: 55 kg Roof: 10 kg

Note: Frame construction, dimensions, weights and/or other specifications are subject to change without notification



# **Dimensions / Weights**







PREMIUM INSTANT MARQUEES

# shedline.co.nz



SHEDLINE







13 Nell Place, PO Box 5023 Whangarei 0140, New Zealand Phone: +64 (0) 9 438 6862 Email: info@unicrest.co.nz **unicrest.co.nz** 

Freephone: 0800 144 155





© Copyright 2016 Unicrest Group Ltd